

Richland County Fair Truck Pulls

Olney, IL Fairgrounds

Friday, July 14th, 2017

7:00 PM

TRUCK PULL RULES

General Rules

- 1. OEM firewall and floorboard.**
- 2. Under hood inspection can be done at any time.**
- 3. DOT approved tires - 35" max height, no cut or sharpened tires.**
- 4. OEM stock 1 ton or less drive train and OEM brakes.**
- 5. Safety chains and loops around the drive shafts.**
- 6. All modified trucks must have driveshaft shield around the rear u-joint and front shaft/front u-joint. It must be 4" from center of u-joint both ways, made from 1/8" thick steel and can be bolted together by 3/8" bolts.**
- 7. No altered frames.**
- 8. No sanctioned trucks.**
- 9. NO WHINING - Judges decisions are final and take precedent over printed material**

Stock class - General Rules Apply

- 1. No roller camshafts, but rocker rollers are OK.**
- 2. Hitch height: 26" for 4wheel drives, 28" for 2wheel drives.**
- 3. Pull from Reese type hitch or bumper. Hook point must be no less than 42" from rear axle.**
- 4. 6500 lbs maximum weight.**
- 5. Can run blocks and bars. Blocks must be removable.**
- 6. Weights in bed only and no loaded bumpers. Stock bumpers with no aftermarket accessories (push bars, light bars, winches, etc.)**
- 7. Aftermarket ignition box with rev limiter OK. Distributor and coil must be stock.**

- 8. No Aftermarket headers or intakes allowed.**
- 9. Truck body must match truck frame, full size to full size, mid size to mid size. Flat beds ok but must be factory manufactured bed.**
- 10. No electric water pumps. Electric fans are OK.**
- 11. Pump gas only, No race fuel, alcohol, nitrous, or methane based fuels allowed. Nothing stronger than 97 octane.**
- 12. No fuel injection unless it is stock.**
- 13. Driveshaft loops or chains recommended but not mandatory.**

Modified Gas Only 6500, 7200lb - General Rules Apply

- 1. 540 C.I. + 2% limit on block with aftermarket cast block OK.**
- 2. Hitch height: 26" for 4 wheel drive, 28" for two wheel drive**
- 3. 4x4 truck must pull in 4 wheel drive.**
- 4. Pull from Reese type, bumper or drawbar type hitch, with no part of hitch in front of the center of the rear axle and nothing higher than 2 inches above the top of the frame axle. It must be accessible and rigid. No floating hitches.**
- 5. Under hood inspection can be done at any time.**
- 6. DOT approved tires 35" max. height, no cut or sharpened tires.**
- 7. No aluminum heads - cast iron only. Aluminum intake and headers are allowed. No side exit exhaust.**
- 8. No alcohol, nitrous or methane based fuel allowed. Single carburetor only.**
- 9. OEM stock 1 ton or less drive train, OEM brakes and OEM frame. Engine must be in factory location. No dual wheels allowed.**
- 10. 140" wheelbase or less may have front weights 60" or less from center or front axle. Trucks more than 140" wheelbase ,weights cannot extend more than 24" from the stock bumper location in the front of the truck.**
- 11. All trucks must have driveshaft shield around the rear u-joint and front shaft/front U-joint. It must be 4" from center of u-joint both ways, made from 1/8" thick steel and can be bolted together by 3/8" bolts. Shield can be maximum 4" larger than the diameter of the driveshaft.**
- 12. Scatter blanket or blow proof bell housings and kill switches mandatory.**
- 13. NO WHINING - Judges decisions final and take precedent over printed material.**

All diesel trucks must be street legal, licensed and insured, no nitrous, methane or butane injection, must run street tires, no cuts or altered tires

Stock Diesel Street Class

- 1. 8,000 lb**
- 2. Stock turbo**
- 3. No front weights**
- 4. Bars and block are allowed**
- 5. Dual wheels allowed if OEM equipped.**
- 6. No water injection allowed.**
- 7. No excessive smoke.**

Modified Diesel Street Class

- 1. 8000 lb**
- 2. No exhaust through hood**
- 3. Any turbo, injectors, fuel pump allowed**
- 4. Front weights allowed but must be removable, no water to air intercooler**
- 5. Full body and interior, batteries in stock location**

Open Class

- 1. 8000 lb limit**
- 2. Run what you want**
- 3. Must be safe and in control at all times**

Superintendent: Lee Milone

618-395-8046 days

618-843-8046 evenings